

Work Order ID 58080

April 22, 2010 2:26:44 PM



Page 1

Item ID: D4048-4

Accept



Setup Start



Revision ID:

Item Name: Mounting Lug

Stop



Start Date: 4/22/10 Start Qty: 2.00



Cust Item ID:

Required Date: 4/30/10 Req'd Qty: 2.00

Customer:

Reference:

Approvals:

Process Plan:

RL

Date: *10-4-22*

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D4048

A

100

0.00



Bandsaw

Memo

0.00

Jeaspa Bandsaw

CUT BLANK 3.700" LONG

LB 10/05/02

2 0

110

0.00



HAAS 1

Memo

0.00

HAAS CNC vertical machine #1

MILL AS PER DWG AND FOLIO FA895
FOLIO REV: *A*
DWG RE: *A*

mj= 10/05/04

2 0

120

0.00



QC

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

Quality Control

mj= 10/05/04

2 0

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 58080

April 22, 2010 2:26:44 PM

Page 2

Item ID: D4048-4

Accept

Setup Start

Revision ID:

Stop

Item Name: Mounting Lug

Start Date: 4/22/10

Start Qty: 2.00

Cust Item ID:

Required Date: 4/30/10

Req'd Qty: 2.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

am 10/05/04

2

Ø

140

Chemical Conversion Coat per QS1005 4.1

0.00



HandFinish

Memo

0.00

Hand Finishing

②

10-5-5

150

White Gloss(Ref:4.3.5.1) per QS1005 4.3-Alum

0.00



Powdercoat

Memo

0.00

Powder Coating

11/14207

⇒ 10/05/06

2

Ø

C***Mask 0.257" holes and indicated channel prior to powder coat***

POWDER COAT:

Start Time: 9:15am

Oven Temperature: 320°

Finish Time: 9:45am

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 58080

Page 3

April 22, 2010 2:26:45 PM

Item ID: D4048-4

Accept



Setup Start



Revision ID:

Stop



Item Name: Mounting Lug

Start Date: 4/22/10 Start Qty: 2.00



Cust Item ID:

Required Date: 4/30/10 Req'd Qty: 2.00



Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start



QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160



QC

Quality Control

QC3- Inspect Part Finish

0.00

Memo

0.00

2

162 10-5-6

170



Packaging

Packaging

Identify as per dwg & Stock Location: B 58066 0.00

0.00

Memo

0.00

So 60510

②

180



QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

10/05/07

MF 10-5-6

Picklist Print

April 22, 2010 2:26:43 PM

Page 1
T

Work Order ID: 58080



Parent Item: D4048-4



Parent Item Name: Mounting Lug

Start Date: 4/22/10

Required Date: 4/30/10

Comments: IPP REV:A NEW ISSUE 10-01-26 JLM VERIFIED BY:EC IPP Rev:B
as per dwg revA DD 10.02.18 verified by:EC

Start Qty: 2.00

Required Qty: 2.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
M6061T6B1.500X04.00 0		Purchased	No			100	f	17.0000	0.6484			



6061T6 Bar 1.500 x 4.00

<u>Warehouse</u>	<u>Loc Qty</u>	<u>Loc Code</u>
<u>Location</u>		
Main Warehouse		
MAT09	17	
113797	17	

.6434 SP 10/05/02

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 58080
Description: Mounting Lug		Part Number: D4048-4
Inspection Dwg: D4048	Rev: A	Page 1 of 2



FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype



Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
.115	$\pm .010$.117	✓			2 PL
.13	$\pm .03$.125	✓			2 PL
1.00	$\pm .03$	1.000	✓			REF
.063	$\pm .010$.0634	✓			
.050 \times 45°	$\pm .010 / \pm 1/2^\circ$.050 \times 45°	✓			chamfer
.300	$\pm .010$.303	✓			2 PL
.400	$^{+.000}_{-.015}$.390	✓			
1.158	$^{+.015}_{-.000}$	1.158	✓			
8.5°	$\pm 1/2^\circ$	8.5°	✓			
.875	$\pm .010$.874	✓			
.770	$\pm .010$.767	✓			
1.00	$\pm .030$	1.00	✓			REF
3.75	$\pm .03$	3.75	✓			
.257	$^{+.006}_{-.001}$.261	✓			3 PL
3.000	$\pm .010$	2.997	✓			
1.500	$\pm .010$	1.498	✓			
.38	$\pm .03$.375	✓			TYP

Measured by: MW	Audited by: amk	Prototype Approval:	N/A
Date: 10/05/04	Date: 10/05/04	Date:	N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	



D4048-041 MOUNTING LUG ASSY (SHOWN)



D4048-042 MOUNTING LUG ASSY (SHOWN)

ITEM	QTY -041	QTY -042	P/N	Description
	X		D4048-041	MOUNTING LUG ASSY
		X	D4048-042	MOUNTING LUG ASSY
1	1	1	D4048-1	MOUNTING LUG
2	1		D4048-3	MOUNTING LUG
3		1	D4048-4	MOUNTING LUG
4	4	4	D4048-9	BUSHING
5	2	2	AN960JD416	WASHER
6	2	2	AN4-14A	BOLT
7	2	2	MS21042L4	NUT

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 55080

BS10-4-22

RELEASED
R 2010-02-16 D

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-041/-042" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: D4048-041/-042: 1.16 lbs
- 8) TORQUE AN4 BOLTS TO 50-70 in-lbs (5.6-7.9 Nm)

A NEW ISSUE		RF	10.01.29
REV.	DESCRIPTION		BY DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4048 TITLE MOUNTING LUG ASSY SCALE NTS	
DRAWN	RF		
CHECKED	RF		
MFG. APPR.	RF		
APPROVED	RF		
DE APPR.	RF	DATE 10.01.29 COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4048-1 MOUNTING LUG

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4118)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK Ø0.315 HOLES PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.47 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	92	DRAWING NO.	REV. A
MFG. APPR.	92	D4048	SHEET 2 OF 9
APPROVED	92	TITLE	SCALE
DE APPR.	92	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2010-02-16
M

w/d 58080




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



VIEW A-A C5-3

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-3)
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.61 lbs

D4048-3 MOUNTING LUG

u/o 58080

RELEASED
2010-02-16
MP

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	GP	DRAWING NO.	REV. A
MFG. APPR.	GP	D4048	SHEET 3 OF 9
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRELIMINARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



W058080

RELEASED
2010-02-16

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-4)
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.61 lbs

D4048-4 MOUNTING LUG

VIEW B-B C6-4

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. A
MFG. APPR.	RF	D4048	SHEET 4 OF 9
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries



VIEW F-F D6-6



SECTION H-H C1-6



VIEW G-G C4-6

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK $\phi 0.257$ HOLES AND INDICATED CHANNEL (ZN C7-6)
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-6" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.44 lbs

D4048-6 MOUNTING LUG

w/o 58080

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. A
MFG. APPR.	RF	D4048	SHEET 6 OF 9
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
R 2010-02-16





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



SECTION K-K C2-7



VIEW J-J C4-7

NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-7)
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-7" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.62 lbs

D4048-7 MOUNTING LUG

w/o 58080

RELEASED
2010-02-16

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4048	REV. A
MFG. APPR.	<i>[Signature]</i>	SHEET 7 OF 9	
APPROVED	<i>[Signature]</i>	TITLE MOUNTING LUG ASSY	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	10.01.29		


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries






W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4048-9 BUSHING

NOTES:

- 1) MATERIAL: AISI 303 STAINLESS STEEL BAR
REF DART SPEC. M303B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs

w/ 58080

RELEASED
2010-02-16
1/1

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>GP</i>	DRAWING NO. D4048	REV. A
MFG. APPR.	<i>GP</i>	SHEET 9 OF 9	
APPROVED	<i>GP</i>	TITLE	SCALE
DE APPR.	<i>GP</i>	MOUNTING LUG ASSY	NTS
DATE	10.01.29	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries